
How To Know If Your In An Emotionally Abusive Relationship

*How To Know If Your In
An Emotionally Abusive
Relationship*

*Downloaded from
everybodystreet.com by
Friedman & Chance*

INTRODUCTION

Depression is more than just feeling sad or having a bad day. It is a serious mental health condition that affects how you think, feel, and handle daily activities. Understanding the signs early can make a significant difference in getting the right support and treatment. But how do you distinguish between

ordinary sadness and clinical depression? This article will explore the subtle and obvious indicators to help you answer the question: **How To Know If Your Depressed** (or, more accurately, how to know if you're depressed). We will cover emotional, physical, and behavioral symptoms, and provide guidance on what steps to take next.

UNDERSTANDING DEPRESSION:

MORE THAN JUST SADNESS

Depression, also known as major depressive disorder, is a common but serious mood disorder. It causes persistent feelings of sadness and loss of interest in things you once enjoyed. It can lead to a variety of emotional and physical problems and decrease your ability to function at work and at home. While sadness is a normal human emotion, depression is persistent and can interfere with your daily life for weeks, months, or even longer. Recognizing the difference is key to knowing if you are experiencing depression.

The Core Symptoms of Depression

To know if you are depressed, mental health professionals look for a cluster of symptoms that last for at least two weeks. The **Diagnostic and Statistical Manual of Mental Disorders (DSM-5)** outlines the criteria. You must experience five or more of the following symptoms during the same two-week period, and at least one of the symptoms must be either a depressed mood or a loss of interest or pleasure:

- **Depressed mood:** Feeling sad,

empty, or hopeless most of the day, nearly every day.

- **Loss of interest or pleasure:** Markedly diminished interest in all or almost all activities (anhedonia).
- **Significant weight change:** Significant weight loss when not dieting, or weight gain, or decrease or increase in appetite nearly every day.
- **Sleep disturbances:** Insomnia or hypersomnia (sleeping too much) nearly every day.
- **Psychomotor agitation or retardation:** Restlessness or slowed movements that are noticeable by others.
- **Fatigue or loss of energy:** Feeling tired or lacking energy nearly every day.

- **Feelings of worthlessness or excessive guilt:** Inappropriate guilt about things you did or didn't do, or feeling worthless.
- **Difficulty concentrating:** Diminished ability to think, concentrate, or make decisions.
- **Recurrent thoughts of death:** Thoughts of dying, suicidal ideation, or a suicide attempt.

If you recognize several of these symptoms persisting for more than two weeks, it is a strong indicator that you may be depressed.

EMOTIONAL INDICATORS YOU SHOULD NOT IGNORE

Emotional changes are often the first red flags someone may notice. You might

feel a persistent sense of emptiness, numbness, or a heavy sadness that doesn't lift. Others describe it as a feeling of being "flat" or disconnected from the world around them. You may find yourself crying over small things or, conversely, feeling unable to cry at all. Irritability is also common, especially in men and adolescents. If you feel a constant low mood that does not seem to have a clear cause, it is worth paying attention to.

Loss of Interest and Pleasure

(Anhedonia)

One of the hallmark signs of depression is anhedonia – the inability to feel pleasure in activities you once loved. Do you no longer enjoy time with friends? Have you stopped participating in hobbies like painting, reading, or sports? If these activities now feel like chores or nothing at all, it could be a sign of depression. This emotional blunting can make life seem dull and meaningless.

PHYSICAL SYMPTOMS OF DEPRESSION

Depression is not just in your head; it manifests physically. Many people are surprised to learn that body aches, digestive issues, and chronic fatigue can

be symptoms of depression. Common physical signs include:

- **Chronic fatigue:** Feeling tired even after a full night's sleep.
- **Unexplained aches and pains:** Headaches, back pain, or joint pain without a clear medical cause.
- **Changes in appetite:** Either eating too much or too little, leading to significant weight changes.
- **Digestive problems:** Nausea, stomachaches, or changes in bowel habits.
- **Sleep problems:** Difficulty falling asleep, staying asleep, or waking up too early, or sleeping excessively.

If you have visited a doctor for these

symptoms and no physical cause has been found, depression may be an underlying factor. Treating the depression often alleviates these physical complaints.

BEHAVIORAL CHANGES: WHAT TO LOOK FOR

Depression often changes how you act. You might withdraw from social situations, cancel plans, or isolate yourself from family and friends. You might stop taking care of basic hygiene, such as showering or brushing your teeth. Your work or school performance may decline because you cannot concentrate or find the motivation to complete tasks. Procrastination becomes extreme. Some people turn to alcohol, drugs, or other substances to cope with

THEIR UNIQUE SIGNS If you notice these changes in yourself, it is a clear behavioral indicator of depression.

Irritability and Anger

While depression is often associated with sadness, it can also present as increased irritability, anger, or frustration. You may find yourself snapping at loved ones over minor issues, feeling more aggressive, or having a shorter fuse. This is especially common in men, who may not recognize or express sadness in typical ways.

TYPES OF DEPRESSION AND

Understanding the specific type of depression can help you better identify your symptoms. The major types include:

- **Major Depressive Disorder (MDD):** Classic symptoms described above, lasting at least two weeks.
- **Persistent Depressive Disorder (Dysthymia):** A milder but chronic depression lasting at least two years. You might function daily but feel persistently low and hopeless.
- **Seasonal Affective Disorder (SAD):** Depression that occurs during specific seasons, usually winter, with symptoms like

QUESTIONS TO ASK YOURSELF

overeating, and carbohydrate cravings.

- **Postpartum Depression:** Affects women after childbirth, with extreme sadness, exhaustion, and anxiety that interfere with caring for the baby.
- **Bipolar Disorder:** Involves episodes of depression alternating with manic or hypomanic episodes (elevated mood, high energy).

If your symptoms follow a pattern related to seasons or life events, or if they are long-term but less severe, you may still be experiencing depression that requires attention.

HOW TO SELF-ASSESS:

If you are still unsure, consider answering these questions honestly. Have you felt sad, down, or hopeless most of the day, nearly every day for the past two weeks? Have you lost interest in things you used to enjoy? Are you sleeping too much or too little? Have you experienced changes in appetite or weight? Do you feel tired all the time? Do you feel worthless or guilty? Is it hard to concentrate? Are you having thoughts of death or suicide? If you answered yes to several of these, especially the first two, it is highly advisable to seek a professional evaluation.

WHEN TO SEEK PROFESSIONAL

HELP

Knowing if you are depressed is the first step. The next is taking action. If your symptoms are causing significant distress or impairing your ability to function at home, work, or in relationships, it is time to see a mental health professional. You should seek immediate help if you have thoughts of harming yourself or others, or if you have a plan to attempt suicide. Call a crisis hotline (such as 988 in the US) or go to the nearest emergency room.

A primary care physician or a psychiatrist can conduct an initial screening and refer you to therapy or prescribe medication if needed. Treatment often includes psychotherapy (talk therapy), antidepressants, lifestyle

changes, or a combination. Remember, depression is highly treatable, and most people improve with proper care.

COMMON MYTHS THAT PREVENT PEOPLE FROM SEEKING HELP

Many people delay getting help because of misconceptions. Myth: “I can just snap out of it.” Reality: Depression is a medical condition, not a choice. Myth: “Only weak people get depressed.” Reality: Depression affects people of all backgrounds, strengths, and personalities. Myth: “If I talk about it, I will make it worse.” Reality: Talking about your feelings is a crucial part of healing. Letting go of these myths can help you accept that you may be depressed and that help is available.

LIFESTYLE FACTORS THAT CAN WORSEN DEPRESSION

While depression is not caused by lifestyle alone, certain factors can aggravate symptoms. Poor diet, lack of exercise, insufficient sleep, substance use, and chronic stress can all make depression harder to manage. If you are wondering how to know if your depressed, also look at whether your daily habits have shifted negatively. For example, are you skipping meals? Drinking more alcohol? Isolating yourself? These patterns often go hand in hand with depression and can also be early warning signs. Improving sleep hygiene, incorporating gentle movement, and reducing alcohol can help, but they are not substitutes for

professional treatment.

SUPPORTING A LOVED ONE WHO MAY BE DEPRESSED

If you are reading this to help someone else, the same signs apply. Approach them with compassion and without judgment. Encourage them to talk about what they are feeling, and listen without trying to “fix” everything. Let them know that depression is a health condition and that it is okay to seek help. You can help them find a therapist or accompany them to a doctor’s appointment. Never minimize their pain or tell them to “cheer up.” Your support can be a lifeline.

CONCLUSION

Figuring out **how to know if your**

depressed requires an honest look at your emotional, physical, and behavioral state. Persistent sadness, loss of interest, sleep and appetite changes, fatigue, and feelings of worthlessness are major clues. If these symptoms last for more than two weeks and interfere with your life, it is time to reach out for

help. Depression is not a personal failing; it is a treatable illness. You deserve to feel better, and recovery is possible with the right support. Take the first step today by talking to a trusted person or a healthcare professional. Your mental health matters.