

---

# Dr Sam Seven Second Poop Method

---

*Dr Sam Seven Second  
Poop Method*

*Downloaded from  
[everybodystreet.com](http://everybodystreet.com) by  
Grant & Cohen*

---

## **UNDERSTANDING THE DR SAM SEVEN SECOND POOP METHOD: A NATURAL APPROACH TO DIGESTIVE HEALTH**

---

In the quest for better digestive health, few topics generate as much interest as finding a quick, reliable way to relieve constipation and maintain regular bowel movements. The Dr Sam Seven Second Poop Method has emerged as a popular, non-invasive technique that promises to

help people achieve complete evacuation in a very short time. Developed by Dr. Sam, a gastroenterologist with years of clinical experience, this method leverages body positioning, controlled breathing, and gentle abdominal pressure to stimulate the natural defecation reflex. Unlike harsh laxatives or expensive supplements, this approach is free, drug-free, and can be done anywhere — making it an attractive option for those struggling with irregularity.

This article delves deep into the origins,

science, and practical application of the Dr Sam Seven Second Poop Method. Whether you are someone who battles chronic constipation or simply wants to optimize your bathroom routine, understanding this technique can transform your relationship with your digestive system. We will explore the step-by-step process, the physiological principles behind it, and how you can integrate it into your daily life for lasting benefits.

## What Is the Dr Sam Seven

## Second Poop Method?

The Dr Sam Seven Second Poop Method is a structured routine that aims to trigger a bowel movement within seven seconds of beginning the technique. It was created by Dr. Sam, a board-certified gastroenterologist who observed that many patients relied on straining or prolonged sitting to pass stool, which can lead to hemorrhoids, pelvic floor dysfunction, and incomplete evacuation. Dr. Sam designed the method to mimic the body's natural urge to defecate by aligning the colon, relaxing the pelvic floor, and using diaphragmatic breathing to increase

intra-abdominal pressure gently.

The core of the method involves three key components:

- **Optimal toilet posture** — mimicking a squatting position even on a standard toilet.
- **Controlled deep breathing** — to relax the pelvic floor and stimulate peristalsis.
- **Targeted abdominal pressure** — applied with the fingers or heel of the hand to signal the colon.

Many proponents claim that within seconds of performing the sequence, they feel a sudden urge to go, and the bowel movement occurs quickly and completely. The method has gained traction on social media and wellness platforms, but it is grounded in

established principles of gastrointestinal physiology.

## Who Is Dr. Sam and Why Did He Develop This Method?

Dr. Sam (full name often cited as Dr. Sam O. in online resources) is a practicing gastroenterologist who has treated thousands of patients with digestive issues. He noticed a pattern: many people sat on the toilet incorrectly, often with their knees lower than their hips, which kinked the rectum and made

evacuation difficult. Additionally, chronic stress and shallow breathing contributed to pelvic floor tension, trapping stool inside.

Drawing from research on squatting toilets common in Asia and Africa, along with biofeedback techniques used for pelvic floor rehabilitation, Dr. Sam created a simple three-step protocol that could be done without any equipment. He named it the "Seven Second Poop Method" because the entire sequence takes only about seven seconds to perform. He emphasizes that it is not a cure-all but rather a tool to help the body function as it naturally should.

# The Science Behind the Dr Sam Seven Second Poop Method

To understand why this method works, we must examine the anatomy of defecation. The colon's final segment, the rectum, stores stool until it is ready to be expelled. The puborectalis muscle wraps around the rectum like a sling, creating an angle (the anorectal angle) that keeps stool in. During a successful

bowel movement, this muscle relaxes, the angle straightens, and the pelvic floor drops slightly, allowing stool to pass through the anal canal.

When sitting on a standard toilet, the knees are typically at a 90-degree angle, which tightens the puborectalis and kinks the rectum. This is like trying to push water through a bent hose. In contrast, squatting (knees above hips) relaxes the puborectalis and straightens the recto-anal canal, facilitating easier passage. The Dr Sam Seven Second Poop Method incorporates a specific foot placement that simulates a squat, even on a Western toilet.

Furthermore, the method uses diaphragmatic breathing. Deep, slow inhalation and exhalation stimulate the vagus nerve, which activates the

parasympathetic nervous system — the "rest and digest" mode. This triggers peristaltic waves in the colon and relaxes the anal sphincter. By combining posture and breath, the method creates ideal conditions for a quick, effortless bowel movement.

## Step-by-Step Guide to the Dr Sam Seven Second Poop

# Method

Below is a detailed breakdown of how to perform the technique correctly. Follow these steps in order, and aim to complete the entire sequence within about seven seconds — though you may take slightly longer initially as you learn the movements.

1. **Assume the optimal posture.**

Sit on the toilet with your feet flat on a small stool or platform so your knees are elevated above your hips. If you don't have a stool, lean your torso forward until your elbows rest on your thighs. This opens the anorectal angle.

2. **Take a deep, slow breath.**

Inhale through your nose for 3–4

seconds, expanding your belly outward. Hold for one second.

3. **Apply gentle pressure.**

While exhaling slowly through your mouth, use the heel of your dominant hand to press into your lower abdomen, just above the pubic bone. Alternatively, you can use your fingertips to make small circular motions. The pressure should be firm but not painful.

4. **Exhale completely and relax.**

As you finish exhaling, consciously release your pelvic floor muscles (imagine letting go of urine). Do not strain or push.

5. **Wait.**

Within a few seconds, you may feel an urge to defecate.

Allow the stool to pass naturally. If nothing happens, repeat the

sequence after a 30-second pause.

Many users report that after one or two cycles, they experience a sudden, strong cramp-free movement. The entire process, from beginning the steps to passing stool, often takes less than ten seconds.

## Common Mistakes to Avoid

While the Dr Sam Seven Second Poop Method is simple, people often make errors that reduce its effectiveness. Here are pitfalls to watch for:

- **Straining** — The method relies on relaxation and gentle pressure, not forceful bearing down. Straining can counteract the reflex and increase hemorrhoid risk.
- **Holding breath** — Some individuals instinctively hold their breath while pressing on the abdomen. This raises intra-abdominal pressure incorrectly and can cause dizziness. Always exhale slowly.
- **Incorrect foot position** — If your knees are lower than your hips, the anorectal angle remains kinked. Ensure elevation is sufficient (6–8 inches higher than hips).
- **Skipping the breathing phase** — The breath is not optional; it is

the key to triggering the parasympathetic response. Rushing through the method without proper breathing may yield no results.

## Benefits of the Dr Sam Seven Second Poop Method

Adherents of this technique report numerous advantages beyond faster bowel movements. These include:

- **Reduced need for laxatives** —

By stimulating natural peristalsis, the method can help those with chronic constipation reduce their reliance on stimulant laxatives.

- **Less straining** — Proper posture and breathing minimize intra-abdominal pressure on veins, lowering the risk of hemorrhoids and anal fissures.
- **Improved pelvic floor health** — The deliberate relaxation of the pelvic floor during the method can help retrain chronically tense muscles, beneficial for individuals with dyssynergic defecation.
- **Time efficiency** — Instead of sitting for ten to fifteen minutes, the process is often completed in under a minute, freeing up time in a busy schedule.



- **Drug-free and non-invasive** — No pills, enemas, or devices are required. It is accessible to almost everyone.

## Who Can Benefit from This Method?

The Dr Sam Seven Second Poop Method is designed for generally healthy individuals who experience occasional or mild to moderate constipation. It may be especially helpful for:

- People with sedentary lifestyles that slow intestinal transit.

- Those who feel they do not completely empty their bowels.
- Individuals who have a weak urge to defecate despite feeling full.
- Anyone looking to reduce time spent on the toilet.

However, the method is not a substitute for medical treatment. If you have severe, prolonged constipation, bloody stools, abdominal pain, or a history of gastrointestinal surgery, consult your doctor before trying any new technique. The method may also be less effective for those with neurogenic bowel or medication-induced constipation.

# Integrating the Method into a Daily Routine

Consistency is key. To get the most out of the Dr Sam Seven Second Poop Method, consider these tips:

- **Practice at the same time each day** — The body's natural gastrocolic reflex is strongest after meals, especially breakfast. Try the method 15–30 minutes after eating.
- **Stay hydrated** — Adequate water intake softens stool and improves peristaltic response. Dehydration

can render the method less effective.

- **Incorporate fiber gradually** — Soluble fiber from oats, apples, and psyllium helps bulk stool properly. Pairing the method with a high-fiber diet yields optimal results.
- **Combine with light movement** — Walking or gentle yoga before using the toilet can stimulate colonic activity.

## Frequently Asked Questions About

# the Dr Sam Seven Second Poop Method

## **IS IT SAFE TO USE EVERY DAY?**

Yes. The method uses natural body mechanics and does not involve harmful substances. It can be safely integrated into a daily bathroom routine as long as you do not force or strain excessively.

## **WHAT IF I DON'T HAVE A STOOL TO ELEVATE MY FEET?**

You can still perform the method by leaning your torso forward and resting

your forearms on your thighs. This mimics the squatting angle, though a dedicated foot stool (like a Squatty Potty) is more comfortable and effective.

## **HOW LONG UNTIL I SEE RESULTS?**

Some people experience immediate relief on the first attempt, while others may need to practice for a few days to retrain their pelvic floor. If after two weeks you notice no improvement, consider consulting a gastroenterologist.

## **CAN CHILDREN USE THIS METHOD?**

With adult supervision and gentle instruction, older children who are toilet trained may benefit, especially if they have difficulty passing stool. Avoid applying abdominal pressure too firmly

on a child.

## Potential Drawbacks and Precautions

While the method is generally safe, there are a few considerations. People with abdominal hernias, recent abdominal surgery, or pelvic organ prolapse should avoid applying manual pressure without medical clearance. Pregnant women should use a lighter touch and prioritize breathing over pressure. Additionally, if abdominal pressure causes pain, stop immediately — this could signal an underlying issue such as diverticulitis or

an obstruction.

## Conclusion

The Dr Sam Seven Second Poop Method represents a simple, evidence-inspired approach to improving bowel movements without drugs or expensive gadgets. By optimizing body posture, harnessing diaphragmatic breathing, and applying targeted pressure, this technique helps the body do what it is designed to do — effortlessly eliminate waste. While it is not a panacea for all digestive disorders, it offers a practical tool that millions of people can incorporate into their morning routine. As with any health trend, it is wise to listen to your body and consult a professional when needed. But for those

seeking a drug-free way to conquer constipation and reclaim time, the seven-second method might just be the breakthrough you need.