
Central Net Force Model Worksheet 1

*Central Net
Force Model
Worksheet 1*

*Downloaded from
everybodystreet.com
by Natalie &
Roman*

MASTERING UNIFORM CIRCULAR MOTION: A GUIDE TO THE CENTRAL NET FORCE MODEL WORKSHEET 1

Physics students often encounter a pivotal moment when they shift from linear dynamics to the world of rotation. The concepts of velocity, acceleration, and force take on new dimensions when an object moves along a curved path. For many, the first deep dive into

this topic comes through the **Central Net Force Model Worksheet 1**. This worksheet is not just a collection of problems; it is a structured scaffolding tool that helps learners internalize the relationship between force, mass, velocity, and radius in uniform circular motion. Whether you are a student tackling the worksheet for the first time or an educator seeking to guide your class, this comprehensive guide will walk you through the model, the purpose of the worksheet, and

the key problem-solving strategies you need to succeed.

What Is the Central Net Force Model?

Before examining the worksheet itself, it is essential to understand the foundational framework. The Central Net Force Model (CNFM) is a conceptual approach developed within the **Modeling Instruction** pedagogy. It treats uniform circular motion as a special case of Newton's second law where the net force on an object points directly toward the

center of the circular path. This net force, often called the centripetal force, is not a new type of force; rather, it is the **net result** of real forces such as tension, gravity, friction, or normal force that conspire to keep an object moving in a circle.

The central idea is that for any object in uniform circular motion, the magnitude of the net force is given by the equation:

$$\mathbf{F}_{\text{net}} = \mathbf{m} * \mathbf{v}^2 / \mathbf{r}$$

Where:

- **m** = mass of the object (kg)
- **v** = speed of the object (m/s)
- **r** = radius of the circular path (m)

This equation becomes the centerpiece of **Central Net Force**

Model Worksheet 1, which typically asks students to apply it in a variety of contexts—from a car turning a curve to a ball on a string. The model also emphasizes the importance of free-body diagrams and the idea that the net force in the radial direction is the centripetal force.

Overview of Worksheet 1: What to Expect

Worksheet 1 in the Central Net Force Model sequence serves as an introduction. It assumes that students have already covered Newton's laws and

basic kinematics but may be unfamiliar with circular motion. The worksheet usually presents a mix of conceptual questions and quantitative problems designed to build fluency with the central equation. Typical sections include:

- **Conceptual checkpoints:**
Students are asked to predict what happens to net force if speed doubles, or if radius is halved.
- **Quantitative scenarios:**
Problems that require calculating centripetal force, speed, or radius from given data.
- **Free-body diagram exercises:**
Identifying which

real forces contribute to the net inward force.

- **Real-world applications:**

Examples such as a satellite in orbit, a fairground ride, or a car on a banked curve (though banked curves may appear in later worksheets).

The problems are deliberately sequenced to move from simple plug-and-chug to more interpretive reasoning. Many versions of the worksheet include a **central table** where students organize data for multiple objects, helping them see patterns across different masses, speeds, and radii.

Key Concepts You Must Master

To excel on **Central Net Force Model Worksheet 1**, you need a firm grasp of several core ideas. Below we break down each concept and show how it appears in typical worksheet problems.

UNIFORM CIRCULAR MOTION VS. NON-UNIFORM

Worksheet 1 deals exclusively with **uniform circular motion**, meaning the object travels at constant speed. The velocity vector changes direction, so

there is acceleration (centripetal acceleration) pointing inward, but the speed remains unchanged. Students sometimes confuse this with non-uniform motion (e.g., a roller coaster loop) where the speed varies. The worksheet emphasizes that in uniform motion, the net force is constant in magnitude and always directed toward the center.

THE ROLE OF THE FREE-BODY DIAGRAM

Perhaps the most critical skill reinforced by the worksheet is drawing an accurate free-body diagram. For example, consider a ball on a string swung in a horizontal circle. The free body diagram shows only two forces:

tension (pointing inward toward the hand) and gravity (downward). Since gravity acts perpendicular to the plane of motion in a truly horizontal circle, it does not contribute to the radial net force. The central net force is entirely provided by tension. In Worksheet 1, you will be asked to identify which forces act in the radial direction and which ones cancel. Overlooking a force or mislabeling its direction is the most common source of error.

RELATING PERIOD, FREQUENCY, AND SPEED

Many problems on the worksheet provide the period (time for one revolution) or

frequency (revolutions per second) instead of speed. You must be comfortable converting: $\mathbf{v} = 2\pi\mathbf{r} / \mathbf{T}$, where $\mathbf{T}$ is the period, or $\mathbf{v} = 2\pi\mathbf{r} \mathbf{f}$, where $\mathbf{f}$ is frequency. For instance, a problem might state that a 0.50 kg object completes 10 revolutions in 5.0 seconds on a 2.0 m radius path. You first find the period (0.5 s) then the speed ($2\pi \cdot 2.0 / 0.5 \approx 25.1$ m/s) and finally the net force.

NEWTON'S SECOND LAW IN THE RADIAL DIRECTION

The central net force equation is simply Newton's second law applied radially: $\mathbf{F}_{\text{net, radial}} = \mathbf{m} * \mathbf{a}_c$, where $\mathbf{a}_c = \mathbf{v}^2 / \mathbf{r}$. A typical worksheet problem will ask: "A 1200 kg car

rounds a curve of radius 50 m at 20 m/s. What is the centripetal force required?" Students compute: $\mathbf{F} = 1200 * (20^2 / 50) = 9600$ N. Then a follow-up might ask which force provides this net force (friction, in this case).

Sample Problems and Strategies

Let's walk through three representative problem types from **Central Net Force Model Worksheet 1** to illustrate effective solution strategies.

**PROBLEM 1: DIRECT
CALCULATION WITH
A GIVEN RADIUS
AND SPEED**

Scenario: A 0.25 kg ball is tied to a string and whirled in a horizontal circle of radius 0.80 m at a constant speed of 4.0 m/s. Calculate the tension in the string.

Solution approach: Identify the net force. Since the ball is moving in a horizontal circle, gravity is perpendicular, so tension equals the centripetal force. Compute $F = m v^2/r = 0.25 * (4.0^2)/0.80 = 0.25 * 16 / 0.80 = 0.25 * 20 = 5.0$ N. The tension is 5.0 N.

**PROBLEM 2:
FINDING SPEED
GIVEN NET FORCE
AND RADIUS**

Scenario: A car of mass

1500 kg is traveling around a curve with radius 75 m. The maximum frictional force between the tires and the road is 12,000 N. What is the maximum safe speed?

Solution approach: The net centripetal force is provided by friction. Set $F_{\text{friction}} = m v^2/r$. Solve for v : $v = \sqrt{(F * r / m)} = \sqrt{(12,000 * 75 / 1500)} = \sqrt{(600)} \approx 24.5$ m/s. This is a classic worksheet problem that also introduces the concept of a maximum safe speed.

**PROBLEM 3:
CONCEPTUAL
REASONING WITH A
DATA TABLE**

Scenario: The worksheet may present a table of four objects (different masses, radii, and speeds) and

ask which one requires the largest central net force. The student must compute or compare ratios without necessarily plugging numbers. For example, if object A has twice the mass but half the speed of object B, and both have the same radius, then A's force is $2 \cdot (0.5^2) = 0.5$ times that of B. Such problems build proportional reasoning.

Common Misconceptions and How to Avoid

Them

Working through **Central Net Force Model Worksheet 1** often reveals persistent misunderstandings. Being aware of these can save you time and frustration.

- **"Centripetal force is a special force."**
No. The term "centripetal" only describes the direction of the net force. In every problem, the net force is provided by real forces like tension, friction, or gravity. On the worksheet, you must identify the actual force(s).
- **"If the object is moving in a**

circle, there is an outward force." This is

the centrifugal fallacy. The only net force is inward. The sensation of being "thrown outward" is due to inertia (the object's tendency to go straight). The worksheet often includes a conceptual question to address this.

- **"The net force equation only works for horizontal circles."** It works for any uniform circular motion, including vertical circles at specific points (e.g., at the top of a loop, centripetal force is $mg + \text{tension}$).

However, Worksheet 1 typically sticks to horizontal circles for simplicity.

- **"If speed doubles, the force doubles."**

Because v is squared, doubling speed quadruples the required force. Many students forget the square and lose points. Pay attention to exponents.

Real-World Connections and

Applications

One of the strengths of the Central Net Force Model approach is its grounding in everyday phenomena. The worksheet often includes short discussion prompts or extension questions connecting physics to the real world. For example:

- **Amusement park rides:** How fast must a Gravitron ride spin so that riders do not slide down the wall? The required friction depends on the normal force, which is the centripetal force.
- **Satellite orbits:** Gravity provides the central net force. If a satellite's speed is too high, it will escape orbit; too low, it will spiral inward.
- **Banked roads and racetracks:** While banked curves are often covered in later worksheets, Worksheet 1 may set the stage by asking why a flat curve depends on friction.
- **Washing machine spin cycles:** The drum pushes the clothes inward (the normal force acts as centripetal force) while water escapes through holes due to lack of force to keep it in circular

motion.

strategies:

These connections make the abstract equation tangible. As you work through the problems, try to visualize the physical situation—imagine the string in your hand, the car on the road, or the ball on a tether. This mental modeling is exactly what the worksheet aims to cultivate.

Tips for Success with Worksheet 1

To get the most out of this foundational worksheet, consider the following study

1. **Always start with a free-body diagram.** Even if the problem seems simple, draw it. Label all forces and indicate the radial direction (toward center). This will help you identify which forces contribute to the net centripetal force.
2. **List the given and unknown variables.** Write down m , v , r , F_c , T (period), f (frequency). Check units—convert to meters, kilograms, seconds.
3. **Choose the correct form of the centripetal acceleration**

equation. You
can use $a_c = v^2/r$

or $a_c = 4\pi^2 r/T^2$