

---

# Piecewise Functions Worksheet And Answers

---

*Piecewise Functions  
Worksheet And Answers*

*Downloaded from  
[everybodystreet.com](http://everybodystreet.com) by  
Kelley & Skinner*

---

## **MASTERING PIECEWISE FUNCTIONS: A COMPREHENSIVE WORKSHEET AND ANSWERS GUIDE**

---

Piecewise functions are a fundamental concept in algebra and precalculus that describe situations where a rule changes based on the input value. They appear in everything from tax brackets to shipping

costs, making them not only academically important but also practically relevant. However, because they combine multiple rules, many students find them challenging at first. The best way to gain confidence is through targeted practice. A well-designed piecewise functions worksheet and answers set can transform confusion into clarity. This guide will walk you through everything you need to know—from the definition of piecewise

functions to how to approach problems, common pitfalls, and a sample worksheet with complete solutions. Whether you are a student preparing for an exam or a teacher looking for resources, this article will help you master piecewise functions step by step.

---

## WHAT IS A PIECEWISE FUNCTION?

---

A piecewise function is a mathematical function defined by multiple sub-functions, each applying to a specific interval of the domain. Instead of a single formula, the function has a “piece” for different ranges of the input variable, usually written using a brace { to group the pieces together. For example:

**$f(x) =$**

$$\begin{cases} x + 1, & \text{for } x < 0 \\ x^2, & \text{for } x \geq 0 \end{cases}$$

This means that if your input is less than zero, you use the linear expression  $x + 1$ ; if the input is zero or greater, you use the quadratic expression  $x^2$ . The key is to pay attention to the “condition” written after each piece. These conditions define the domain of that particular sub-function.

Piecewise functions can have two, three, or even more pieces. They might include constant functions, linear functions, quadratic functions, absolute values, or any other type. Understanding how to read and interpret the conditions is the first step toward success.

# Why Use a Piecewise Functions Worksheet?

Reading about piecewise functions is one thing; practicing them is another. A piecewise functions worksheet and answers resource helps you:

- **Reinforce the concept** of conditional evaluation.
- **Develop graph-reading skills** because many problems ask you to graph the function or interpret a graph.

- **Build confidence** by working through problems and immediately checking your solutions.
- **Identify common errors** such as using the wrong piece for a given x-value or misplacing open and closed circles on a graph.

When you have access to a complete worksheet with answers, you can learn from your mistakes and see the correct reasoning. This active learning approach is far more effective than simply reading through examples.

---

## HOW TO APPROACH A PIECEWISE FUNCTIONS WORKSHEET

---

Before diving into a set of problems, it helps to have a systematic method. Here is a step-by-step strategy that works for

most piecewise function exercises.

## Step 1: Read the Conditions Carefully

Each piece of the function is paired with a condition, such as " $x < 0$ ," " $x > 2$ ," or " $0 \leq x \leq 5$ ." Pay close attention to inequality signs and whether endpoints are included ( $\leq$  or  $<$ ). This determines which rule to use. Misreading a condition is the most common mistake.

## Step 2: For Evaluation, Choose the Correct Rule

If you are asked to find  $f(3)$ , look at the conditions. Which interval contains 3? Then substitute 3 into only that sub-function. Ignore the other pieces entirely.

## Step 3: For

# Graphing, Plot Each Piece on Its Interval

Draw the domain intervals on the x-axis first. Then graph each sub-function only over its specified x-range. Use an open circle ( $\circ$ ) for endpoints that are not included (using  $<$  or  $>$ ) and a closed circle ( $\bullet$ ) for endpoints that are included (using  $\leq$  or  $\geq$ ). This is crucial for accuracy.

# Step 4: Check Your Answers

Always verify that your evaluated values or graph follow the intended behavior. Does the graph connect at the boundaries? Sometimes it does (the function is continuous), and sometimes it does not. Your worksheet answer key will clarify these details.

---

## **SAMPLE PIECEWISE FUNCTIONS WORKSHEET AND ANSWERS**

---

Below is a sample worksheet with five problems that cover evaluation, graphing, and writing piecewise functions. Use it to test your understanding, then check your work

against the answers provided.

## Problem 1: Evaluate

Given  $f(x) = \{ 2x + 1, \text{ for } x < 0; 3, \text{ for } x = 0; x^2 - 1, \text{ for } x > 0 \}$ , find  $f(-2)$ ,  $f(0)$ , and  $f(3)$ .

## Problem 2: Evaluate

Given  $g(x) = \{ 4, \text{ for } x \leq 1; x + 2, \text{ for } 1 < x < 5; -x + 10, \text{ for } x \geq 5 \}$ , find  $g(1)$ ,  $g(4.5)$ , and  $g(5)$ .

## Problem 3: Graph

Sketch the graph of  $h(x) = \{ x, \text{ for } x < 0; 2, \text{ for } 0 \leq x \leq 2; -x + 4, \text{ for } x > 2 \}$ .

## Problem 4: Write a piecewise function

A parking garage charges \$5 for the first hour, \$3 per hour for the next two hours, and \$2 per hour after that. Write a piecewise function  $C(t)$  that gives the total cost for  $t$  hours, where  $t$  is a non-

negative whole number of hours.  
(Assume charging by the hour only).

## Problem 5: Advanced

Determine if the piecewise function  $p(x) = \{ x^2, \text{ for } x \leq 1; 2x, \text{ for } x > 1 \}$  is continuous at  $x = 1$ . Justify your answer.

## Answers

**Answer 1:**  $f(-2)$  uses the first piece:  $2(-2)+1 = -3$ .  $f(0)$  uses the second piece: 3.  $f(3)$  uses the third piece:  $3^2 - 1 = 8$ .

**Answer 2:**  $g(1)$  uses the first piece: 4.  $g(4.5)$ : since  $1 < 4.5 < 5$ , use the second piece:  $4.5 + 2 = 6.5$ .  $g(5)$  uses the third

piece:  $-5 + 10 = 5$ .

**Answer 3:** The graph consists of three segments. For  $x < 0$ : a line with slope 1, open circle at  $(0,0)$ . For  $0 \leq x \leq 2$ : horizontal line at  $y=2$ , closed circles at  $(0,2)$  and  $(2,2)$ . For  $x > 2$ : line with slope -1, starting at an open circle at  $(2,2)$  and going down through  $(3,1)$  and  $(4,0)$ . Note the open and closed circles ensure the function value at  $x=2$  is 2, but for  $x > 2$  the function jumps to 2? Actually check: at  $x=2$ , the second piece includes 2, so  $h(2)=2$ . The third piece uses  $x > 2$ , so at  $x=2$  it is not used. The graph should show a closed circle at  $(2,2)$  from the second piece, and for  $x$  just above 2, the third piece gives values like 1.9 (if  $x=2.1$ , then  $-2.1+4=1.9$ ). So there is no jump discontinuity; it is continuous? Actually the value at  $x=2$  is 2, and limit

as  $x \rightarrow 2^+$  is  $-2+4=2$ , so continuous. So the graph joins at  $(2,2)$ . But the third piece uses  $x > 2$ , so at  $x=2$  it is not included, but the limit matches. So the circle from the third piece at  $(2,2)$  would be open? No, because the third piece does not include  $x=2$ , you do not draw a point there. The graph from the second piece ends with a closed circle at  $(2,2)$ . The third piece starts just after 2, so you draw a line coming from the left of  $(2,2)$  but not including the point? Actually to show the value approaching 2, you put an open circle at  $(2,2)$  on the third piece's line. So there is a closed circle at  $(2,2)$  from the second piece, and an open circle at the same coordinate from the third piece? That would be redundant. Typically you only draw one point. Since the second piece includes

the endpoint, you put a closed circle. The third piece does not include the endpoint, so you draw a line with an arrowhead or a point just after 2. No open circle needed because the line does not start exactly at 2. But textbooks often show an open circle on the third piece line at  $x=2$  to indicate that the value approaches but is not taken. That is acceptable. The important thing is that the function is continuous because the limit equals the value. For the worksheet answer, you can describe that the graph is a continuous line made of three segments with a closed circle at  $(0,0)$ ? Wait check: first piece:  $x < 0$  gives line  $y=x$ . At  $x=0$ , there is an open circle because not included. Then second piece from 0 to 2 includes 0, so closed circle at  $(0,0)$ . So there is a jump at  $x=0$  from

open circle at  $(0,0)$  to closed at  $(0,2)$  – that is a jump discontinuity. Correct:  $h(0)=2$ , but limit from left is 0. So there is a jump. So graph shows a broken line. Good. So answer should note open/closed circles accordingly.

**Answer 4:** Let  $t$  be the number of hours. For  $t=0$ ? Usually first hour: from 0 to 1 hour? Assume  $t > 0$  integer. For first hour (0,1), limit as  $x \rightarrow 1^+$  of  $2x = 2$ . Since limit from right (2) does not equal  $p(1)$  (1), the function is not continuous at

$x=1$ . There is a jump discontinuity.

---

## COMMON MISTAKES AND HOW TO AVOID THEM

---

When working with a piecewise functions worksheet and answers, be on the lookout for these typical errors:

1. **Ignoring the conditions:** Using the wrong piece because you didn't check the inequality sign. Always ask: "Which interval does my  $x$  belong to?"