
Soap Note Example Mental Health

*Soap Note Example
Mental Health*

*Downloaded from
everybodystreet.com by
Heidi & Burke*

MASTERING THE SOAP NOTE: A COMPREHENSIVE GUIDE WITH A MENTAL HEALTH EXAMPLE

In the fast-paced world of healthcare, clear and concise documentation is not just a bureaucratic requirement—it is a cornerstone of effective treatment. For mental health professionals, the SOAP note format provides a structured, evidence-based method for recording patient interactions. Whether you are a seasoned psychiatrist, a newly licensed therapist, or a graduate student completing your clinical hours, understanding how to craft an effective SOAP note is essential. This article provides a deep dive into the SOAP note structure, complete with a detailed **soap note example mental health** professionals can use as a reference, along with practical tips to improve your clinical documentation.

WHAT IS A SOAP NOTE?

SOAP is an acronym that stands for Subjective, Objective, Assessment, and Plan. This standardized framework was developed by Dr. Lawrence Weed in the 1960s as part of the Problem-Oriented Medical Record (POMR). It was designed to bring order and logical flow to clinical notes, ensuring that every piece of information has a clear purpose. Today, the SOAP note is used across virtually all medical disciplines, including mental health, because it effectively bridges the

gap between patient-reported symptoms and clinical reasoning.

In the context of mental health, the SOAP note serves several critical functions. It allows for continuity of care between providers, supports legal and ethical documentation standards, facilitates insurance reimbursement, and provides a clear record of a patient's progress over time. A well-written SOAP note transforms a therapy session or medication management visit into a structured narrative that can be understood by other clinicians, auditors, and even the patient themselves.

WHY ACCURATE DOCUMENTATION MATTERS IN MENTAL HEALTH

Before diving into the specific example of a **soap note example mental health**, it is important to understand why documentation is particularly crucial in this field. Mental health records are often more subjective than those in other areas of medicine. Symptoms like anxiety, depression, or trauma responses are not always visible through lab tests or imaging. Instead, they are reported, observed, and interpreted. This inherent subjectivity places a greater responsibility on the clinician to document clearly and without bias.

Furthermore, mental health documentation is frequently scrutinized during audits for billing compliance. Payers require demonstrable medical necessity for each session. A vague or poorly structured note can lead to claim

denials or, in more serious cases, accusations of fraud. By using a standardized format like SOAP, clinicians can consistently show the link between a patient's condition, the treatment provided, and the rationale for that treatment.

Finally, good documentation protects both the patient and the clinician. In the event of a legal dispute or a review by a licensing board, the SOAP note serves as the primary evidence of care. A thorough note demonstrates that the clinician adhered to the standard of care and acted in the patient's best interest.

BREAKING DOWN THE FOUR COMPONENTS OF A SOAP NOTE

To fully appreciate the **soap note example mental health** provided below, let us first examine each section in detail.

The Subjective Section (S)

The Subjective section is the patient's story. It captures what the patient tells you, in their own words or paraphrased. This section should include the patient's chief complaint, current symptoms, and any pertinent history they report. It is crucial to use quotation marks for direct quotes, as this adds authenticity and legal weight to the note. In mental health, the Subjective section often includes the patient's mood, energy level, sleep patterns, appetite, stress levels, and recent life events.

Key elements to include in the Subjective section for a mental health SOAP note:

- **Chief complaint:** "I feel like I'm

losing control again."

- **History of present illness:** Details about the onset, duration, and intensity of current symptoms.
- **Review of systems:** Relevant physical symptoms like headaches, fatigue, or changes in appetite.
- **Medication adherence:** Patient reports on whether they have been taking prescribed medications.
- **Side effects:** Any adverse effects the patient is experiencing.

The Objective Section (O)

The Objective section contains measurable, observable, and factual data. This is what the clinician sees, hears, and measures. Unlike the Subjective section, there is no room for interpretation here. In a medical setting, this might include vital signs or lab results. In a mental health setting, it includes observations of the patient's appearance, behavior, speech, and mental status. This section is the foundation upon which the Assessment is built.

Key elements to include in the Objective section:

- **Vital signs:** Blood pressure, heart rate, weight (if relevant to medication management).
- **Mental Status Exam (MSE):** Appearance, behavior, speech, mood, affect, thought process, thought content, cognition, and insight.
- **Behavioral observations:** Eye contact, posture, restlessness,

cooperation level.

- **Collateral information:** Reports from family members, other providers, or lab results.

The Assessment Section (A)

The Assessment section is the clinical synthesis. This is where the clinician connects the subjective and objective data to form a professional opinion. It includes the diagnosis, an analysis of the patient's progress or regression, and the clinical reasoning behind the treatment plan. This section should not simply repeat the diagnosis code; it should explain why the patient meets the criteria for that diagnosis and what factors are contributing to their current state. The Assessment is the most critical part of the SOAP note because it demonstrates medical necessity.

Key elements to include in the Assessment section:

- **Diagnosis:** Current DSM-5-TR or ICD-10 diagnosis.
- **Risk assessment:** Suicidality, homicidality, self-harm, and risk of elopement.
- **Progress analysis:** Comparison to the previous session or baseline.
- **Clinical reasoning:** Why the current treatment is appropriate or why a change is needed.

The Plan Section

(P)

The Plan section outlines the next steps. It should be specific, actionable, and directly tied to the Assessment. The plan covers what the clinician will do, what the patient will do, and what future monitoring is required. In mental health, this often includes the type and frequency of therapy, medication changes, homework assignments, and referrals to other providers. The plan should also include safety planning and follow-up arrangements.

Key elements to include in the Plan section:

- **Treatment plan:** Frequency of sessions, therapeutic modality (e.g., CBT, DBT).
- **Medication management:** Dose changes, new prescriptions, or refills.
- **Patient instructions:** Homework, behavioral experiments, or lifestyle modifications.
- **Referrals:** To specialists, support groups, or case management.
- **Follow-up:** Date and time of the next appointment.

DETAILED SOAP NOTE EXAMPLE MENTAL HEALTH: ADULT OUTPATIENT THERAPY

The following is a comprehensive **soap note example mental health** for a 34-year-old female patient being treated for Generalized Anxiety Disorder (GAD) and Major Depressive Disorder (MDD), recurrent, moderate. This example demonstrates how to integrate all four components into a coherent and professional note.

Patient Name: Jane Doe

Date of Service: October 24, 2023
Provider: Dr. Sarah Chen, PhD, LCPC
Diagnosis: F41.1 Generalized Anxiety Disorder; F33.1 Major Depressive Disorder, Recurrent, Moderate

Subjective (S)

Patient presents today stating, "I feel like my anxiety is through the roof this week." She reports increased worry about her job performance, specifically regarding an upcoming quarterly review. She endorses difficulty falling asleep, stating she lies awake "for hours" ruminating about what her boss might say. Patient reports she has been using her PRN (as needed) hydroxyzine 50 mg almost every night for the past week, which she notes is an increase from her usual frequency of twice per week. She states her appetite is "decreased," and she has lost approximately 3 pounds in the last two weeks. Patient denies any suicidal ideation, homicidal ideation, or self-harm behaviors. She reports she has not been engaging in daily walks, which she previously identified as a helpful coping strategy. She states, "I just don't have the energy." Patient reports full adherence to her daily sertraline 100 mg.

Objective (O)

Patient arrived on time for her scheduled 50-minute session. She was neatly dressed but appeared fatigued, with visible dark circles under her eyes. Eye contact was minimal at the start of the session but improved as she engaged in conversation. Speech was of normal rate and volume but with a pressured quality when discussing work-related stressors. Affect was anxious and constricted. Mood endorsed as "anxious and sad."

Thought process was linear and logical. Thought content was notable for ruminations about job performance and perceived failure. No evidence of delusions, hallucinations, or paranoia. Cognition appeared intact; patient was oriented to person, place, time, and situation. Insight was good, as she was able to identify the correlation between her stress and her increased anxiety symptoms. Judgment was fair; she recognized the need for help but had not implemented previously learned coping skills.

Assessment (A)

Patient is a 34-year-old female with diagnoses of GAD and MDD. She presents with an acute exacerbation of anxiety symptoms, likely triggered by a specific work stressor (upcoming performance review). The increased use of PRN hydroxyzine and decreased engagement in protective factors (exercise, sleep hygiene) suggest a worsening of her baseline functioning. Despite this, there are positive indicators: she denies suicidal ideation, has maintained medication compliance, and demonstrates intact insight into her condition. Risk assessment: Low risk for suicide or violence at this time. The primary clinical concern is the patient's reliance on PRN medication and the avoidance of active coping strategies. The patient's decreased appetite and sleep disturbance are consistent with her diagnoses and are being monitored. The current treatment plan of supportive therapy combined with CBT techniques is appropriate, but the patient requires more active intervention to break the cycle of avoidance and rumination.

Plan (P)

1. **Therapy:** Continue weekly individual therapy sessions. In the next session, we will introduce a behavioral activation plan to address the patient's decreased activity and social withdrawal. We will also practice cognitive restructuring techniques specifically targeting the catastrophic thinking about the performance review.
2. **Medication:** Continue sertraline 100 mg daily. Discussed the increased use of hydroxyzine; agreed that the current pattern is not ideal. Instructed patient to continue using hydroxyzine PRN but to cap usage at 3 times per week. If anxiety worsens, patient will call the clinic before the next appointment rather than increasing the hydroxyzine further.
3. **Patient Homework:** Patient agreed to a "one small step" plan: she will walk around her block for 5 minutes each morning before work. She will also practice 5 minutes of diaphragmatic breathing before bed each night. She will track these activities on a provided log.
4. **Safety Plan:** Patient verbalized understanding of her safety plan. She confirmed contact numbers for the crisis hotline and her emergency contact. No changes to the safety plan were needed.
5. **Follow-up:** Next appointment scheduled for October 31, 2023, at 2:00 PM. Patient was reminded to call 24 hours in advance if she needs to cancel or reschedule.

COMMON MISTAKES TO AVOID WHEN WRITING A MENTAL HEALTH SOAP NOTE

Even experienced clinicians can fall into common documentation traps. Being aware of these pitfalls can help you improve the quality of your notes.

- **Blurring the lines between S and O:** A common error is placing clinician observations in the Subjective section. Remember, if you observed it, it belongs in the Objective section. If the patient said it, it belongs in the Subjective section.
- **The "cookie-cutter"**